Mathematische Zeitschrift

Herausgegeben von **H. Wielandt**, Tübingen

unter Mitwirkung von **T. tom Dieck**, Saarbrücken
E. Heinz, Göttingen
A. Pfluger, Zürich
K. Zeller, Tübingen

Wissenschaftlicher Beirat
B. Eckmann, Zürich
P. Gabriel, Bonn
K. H. Hofmann, New Orleans
W. Klingenberg, Bonn
H. Kneser, Tübingen
U. Krengel, Göttingen
W. Magnus, New York
G. Pickert, Gießen
H. Salzmann, Tübingen

Band 129 · 1972

Springer-Verlag · Berlin · Heidelberg · New York

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, even in microform, is transferred to the publisher.

Alle Rechte, einschließlich das der Übersetzung in fremde Sprachen und das der fotomechanischen Wiedergabe oder einer sonstigen Vervielfältigung, auch in Mikroform, vorbehalten. Jedoch wird gewerblichen Unternehmen für den innerbetrieblichen Gebrauch nach Maßgabe des zwischen dem Börsenverein des Deutschen Buchhandels e.V. und dem Bundesverband der Deutschen Industrie abgeschlossenen Rahmenabkommens die Anfertigung einer fotomechanischen Vervielfältigung gestattet. Wenn für diese Zeitschrift kein Pauschalabkommen mit dem Verlag vereinbart worden ist, ist eine Wertmarke im Betrage von DM 0,40 pro Seite zu verwenden. *Der Verlag läßt diese Beträge den Autorenverbänden zufließen.*

Springer-Verlag / Berlin · Heidelberg · New York
Printer: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany. – © by Springer-Verlag Berlin Heidelberg 1972

Inhalt/Contents

Abels, H.: Normen auf freien topologischen Gruppen 25

Beck, I.: Projective and Free Modules 231

Bröcker, T., Hook, E.C.: Stable Equivariant Bordism 269

Chaney, J.: Banach Lattices of Compact Maps 1

DeVos, R.: θ Maps between FK Spaces and Summability 287

Dlab, V., Ringel, C.M.: Decomposition of Modules over Right Uniserial Rings . . 207

Frölicher, A.: Kompakt erzeugte Räume und Limesräume 57

Gulliver, R., Spruck, J.: Surfaces of Constant Mean Curvature Which Have a Simple Projection 95

Harris, M.E.: On Normal Subgroups of p-Solvable Groups 55

Hedberg, L.I.: Non-Linear Potentials and Approximation in the Mean by Analytic Functions 299

Herzer, A.: Dualitäten mit zwei Geraden aus absoluten Punkten in projektiven Ebenen 235

Hook, E.C., s. Bröcker, T. 269

Hsu, A.C.-L.: A Characterization of the Hopf Map by Stretch 195

Kalf, H.: A Limit-Point Criterion for Separated Dirac Operators and a Little Known Result on Riccati's Equation 75

Lienen, H. von: Kriterien für n-te Potenzreste 185

Limaye, N.B.: Cross-Ratios and Projectivities of a Line 49

Merrill, III. S.: Gleason Parts and a Problem in Prediction Theory 321

Passi, I.B.S., Sehgal, S.K.: Isomorphism of Modular Group Algebras 65

Plaumann, P.: Fixelemente von Automorphismen nulldimensionaler abelscher Gruppen 279

Reimann, H.M.: Ein Existenzsatz über maßtreue Abbildungen 163

Ringel, C.M., s. Dlab, V. 207

Roberts, P., s. Schelter, W. 331

Rosenberger, G.: Automorphismen und Erzeugende für Gruppen mit einer definierenden Relation 259

Rutter, J.W.: A Coclassifying Map for the Inclusion of the Wedge in the Product . . 173

Schacher, M., Seitz, G.M.: π-Groups that are M-Groups 43

Schelter, W., Roberts, P.: Flat Modules and Torsion Theories 331

Schmincke, U.-W.: Distinguished Selfadjoint Extensions of Dirac Operators 335

Sehgal, S.K., s. Passi, I.B.S. 65

Seitz, G.M., s. Schacher, M. 43

Smith, L., Zahler, R.: Detecting Stable Homotopy Classes by Primary BP Cohomology Operations 137

Snyder, A. K., Wilansky, A.: Non-Replaceable Matrices 21
Spruck, J., s. Gulliver, R. 95
Tahara, K.-i.: On the Second Cohomology Groups of Semidirect Products 365
Takens, F.: Some Remarks on the Böhme-Berger Bifurcation Theorem 359
Vasconcelos, W.V.: Simple Flat Extensions. II 157
Walter, J.: Absolute Continuity of the Essential Spectrum of $-\frac{d^2}{dt^2}+q(t)$ without Monotony of q 83
Wiegand, R., Wiegand, S.: Vanishing Tensor Powers of Modules 351
Wiegand, S., s. Wiegand, R. 351
Wilansky, A., s. Snyder, A. K. 21
Yaqub, J. C. D. S.: On Planes of Lenz-Barlotti Class 16 and Planes of Lenz Class III . 109
Zahler, R., s. Smith, L. 137

Indexed in Current Contents

INSTRUCTIONS TO AUTHORS

A. General

Papers submitted for publication may be written in English, French or German. A **summary** for Zentralblatt für Mathematik (including key words for classification) should be attached.

To speed up publication, authors will receive **only one set of proofs:** provisionally numbered page proofs. Authors are requested to **correct typographical errors only;** they will be charged for corrections involving changes, additions or deletions to the original manuscript.

Manuscripts must be in their **final form,** typed on one side of each sheet only, with double spacing and wide margins. Formulae should be typewritten whenever possible. Mimeographed copies are not acceptable unless clearly legible.

Please include a "Note for the Printer" explaining markings used. See suggestions overleaf.

Diagrams should be submitted on separate sheets, not included in the text. They should be drawn in Indian ink in clean and clear uniform lines, the whole about twice the size of the finished illustration. Inscriptions should allow for the figure 1, for example, to be about 2 mm high in the final version (i.e. 4 mm for reduction $\times \frac{1}{2}$). The author should mark in the margin of the manuscript where diagrams may be inserted.

Footnotes, other than those which refer to the title heading, should be numbered consecutively and placed at the foot of the page to which they refer (not at the end of the article).

Please give on the first page of the manuscript a **running head** (condensed title), which should not exceed 70 letters including spaces.

References to the literature should be listed at the end of the manuscript. The following information should be provided for **journal articles:** names and initials of all authors, full title of the paper, name of the journal, volume, first and last page numbers and year of publication. References to **books** should include name(s) of author(s), full title, edition, place of publication, publisher and year of publication.

Examples

Bombieri, E., Giusti, E.: Harnack's inequality for elliptic differential equations on minimal surfaces. Inventiones math. **15**, 24 – 46 (1971).

Tate, J.T.: *p*-Divisible Groups. In: Proceedings of a Conference on Local Fields, pp. 158 – 183. Berlin-Heidelberg-New York: Springer 1967.

B. Marking

1. Text

Words or sentences to be set in *italics* should be marked by single underlining.

The words **"Theorem"**, **"Proposition"**, **"Lemma"**, **"Corollary"** etc. are normally printed in **boldface**, followed by the formulation in italics (to be underlined in the manuscript).
The words "*Proof*", "*Remark*", "*Example*", "*Case*" etc. are printed in italics, and "Definition" in boldface with the formulation in ordinary typeface.

2. Formulae

Letters in formulae are normally printed in italics, figures in ordinary typeface.
It will help the printer if in doubtful cases the position of indices and exponents is marked thus: $b\uparrow$, $a\Downarrow$. Spacing of indices and exponents must be specially indicated ($A_{m\ n}^{*\ *}$), otherwise they will be set (A_{mn}^{nm}).
Underlining for special alphabets and typefaces should be done according to the following code:

single underlining:	small letter
double underlining:	capital letter
brown:	boldface (headings, boldface letters in formulae)
yellow:	upright (abbreviations e.g. Re, Im, log, sin, ord, id, lim, sup, etc.)
red:	Greek
blue:	Gothic
green:	Script
violet:	the numerals 1 and 0 (to distinguish them from the small letter *l* and the capital letter *O*)

The following are frequently confused:

$\circ, o, O, 0$; $\cup, \mathbf{u}, \bigcup, U$; $\times, x, X, \kappa$; $\vee, v, \nu$; $\theta, \Theta, \phi, \varphi, \Phi, \varnothing$; Ψ, Ψ; $\varepsilon, \in$;

a', a^1; the symbol *a* and the indefinite article a;

also the handwritten Roman letters:

c, C; e, l; I, J; k, K; o, O; p, P; s, S; u, U; v, V; w, W; x, X; z, Z;

Please take care to distinguish them in some way.

C. Examples

1. Special alphabets or typefaces

Script	$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$ $a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Gothic	$\mathfrak{A}, \mathfrak{B}, \mathfrak{C}, \mathfrak{D}, \mathfrak{E}, \mathfrak{F}, \mathfrak{G}, \mathfrak{H}, \mathfrak{I}, \mathfrak{J}, \mathfrak{K}, \mathfrak{L}, \mathfrak{M}, \mathfrak{N}, \mathfrak{O}, \mathfrak{P}, \mathfrak{Q}, \mathfrak{R}, \mathfrak{S}, \mathfrak{T}, \mathfrak{U}, \mathfrak{V}, \mathfrak{W}, \mathfrak{X}, \mathfrak{Y}, \mathfrak{Z}$ $\mathfrak{a}, \mathfrak{b}, \mathfrak{c}, \mathfrak{d}, \mathfrak{e}, \mathfrak{f}, \mathfrak{g}, \mathfrak{h}, \mathfrak{i}, \mathfrak{j}, \mathfrak{k}, \mathfrak{l}, \mathfrak{m}, \mathfrak{n}, \mathfrak{o}, \mathfrak{p}, \mathfrak{q}, \mathfrak{r}, \mathfrak{s}, \mathfrak{t}, \mathfrak{u}, \mathfrak{v}, \mathfrak{w}, \mathfrak{x}, \mathfrak{y}, \mathfrak{z}$
Boldface	**A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z** **a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z**
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$ $\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, o, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$

2. Notations

preferred form	instead of
$A^*, \tilde{b}, \gamma', \mathfrak{v}, \mathbf{v}$	$\bar{A}, \hat{b}, \vec{\gamma}, \vec{v}$
lim sup, lim inf	$\overline{\lim}, \underline{\lim}$
inj lim, proj lim	$\varinjlim, \varprojlim$
$f: A \to B$	$A \xrightarrow{f} B$
f^{-1}	$\bar{f}$

preferred form	instead of
$\exp\{-(x^2+y^2)/a^2\}$	$e^{-\frac{x^2+y^2}{a^2}}$
$\dfrac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\dfrac{\cos\frac{1}{x}}{\sqrt{a+\frac{b}{x}}}$

Graduate Texts in Mathematics

Managing Editor: **P. R. Halmos**

Graduate Texts in Mathematics is intended to bridge the gap between passive study and creative understanding; it offers introductions on a suitably advanced level to areas of current research. These introductions are neither complete surveys nor brief accounts of the latest results only. They are textbooks carefully designed as teaching aids; the purpose of the autors is, in every case, to highlight the characteristic features of the theory.

Springer-Verlag
Berlin
Heidelberg
New York
London · München · Paris
Sydney · Tokyo · Wien

Volume 1
G. Takeutl, W. M. Zaring
Introduction to Axiomatic Set Theory
2 figures. VII, 250 pages. 1971
DM 35,—; US $ 11.10

Volume 2
J. C. Oxtoby
Measure and Category
A Survey of the Analogies between Topological and Measure Spaces
VIII, 95 pages. 1971
DM 28,—; US $ 8.90

Volume 3
H. H. Schaefer
Topological Vector Spaces
Third printing corrected
XI, 294 pages. 1971
DM 35,—; US $ 11.10

Volume 4
P. J. Hilton, U. Stammbach
A Course in Homological Algebra
IX, 338 pages. 1971
DM 44,40; US $ 14.10

Volume 5
S. MacLane
Categories for the Working Mathematician
IX, 262 pages. 1972
DM 31,50; US $ 10.00

In preparation

Volume 6
D. Hughes, F. Piper
Projective Planes

Volume 7
J.-P. Serre
A Course in Arithmetic
Translated from the French

Volume 8
G. Takeuti, W. M. Zaring
Axiomatic Set Theory

Volume 9
J. E. Humphreys
Lie Algebras and Representation Theory

■ Prospectus on request

Mathematische Zeitschrift

Band 129 · (Schluß-)Heft 4 · 1972

Inhalt

Plaumann, P.: Fixelemente von Automorphismen nulldimensionaler abelscher Gruppen 279

DeVos, R.: θ Maps between FK Spaces and Summability 287

Hedberg, L. I.: Non-Linear Potentials and Approximation in the Mean by Analytic Functions 299

Merrill, III. S.: Gleason Parts and a Problem in Prediction Theory 321

Schelter, W., Roberts, P.: Flat Modules and Torsion Theories 331

Schmincke, U.-W.: Distinguished Selfadjoint Extensions of Dirac Operators 335

Wiegand, R., Wiegand, S.: Vanishing Tensor Powers of Modules 351

Takens, F.: Some Remarks on the Böhme-Berger Bifurcation Theorem 359

Tahara, K.-i.: On the Second Cohomology Groups of Semidirect Products 365

Indexed in Current Contents

Responsible for advertisements: Edgar Seidler, D-1000 Berlin 15, Kurfürstendamm 237
Telephone: (03 11) 8 83 01 31, Telex: 01-85 411
Springer-Verlag Berlin · Heidelberg · New York
Printers: Universitätsdruckerei H. Stürtz AG, Würzburg
Printed in Germany – © by Springer-Verlag Berlin · Heidelberg 1972